LOMUSTINE

(BRAND NAMES: Ceenu, Gleostine)

STRENGTH: 5 mg, 10 mg, 40 mg, 100 mg Capsules.

ROUTE OF ADMINISTRATION: ORAL. This medication should be given with food. Never open or crush the capsules in any way. Wear gloves when handling this medication

ACTION OF MEDICATION: This is a potent chemotherapy agent used against many types of cancer. It works by damaging DNA, RNA and protein manufacture.

MOST COMMON SIDE EFFECTS REPORTED: Vomiting. Also appetite loss diarrhea, hair loss, and the severe side effects reported below.

SEVERE SIDE EFFECTS REPORTED: Bone marrow suppression in the 1-3 weeks after administration (be sure to report unusual bleeding or bruising), Liver disease (especially in dogs - giving lipoid acid or SAMe can reduce this potential), kidney damage, scarring of the lung (especially in cats).

STORAGE: Keep away from light and store at room temperature. Do not refrigerate.

IF YOU MISS A DOSE: Do not double up on the next dose. Simply give the medication when it is remembered or pick up with the next dose, allowing at least the proper interval between doses according to the label instructions.

OTHER INFORMATION: Animal waste should be handled only with gloves and should disposed of in plastic bags (in the regular trash).

For a more detailed presentation, visit:

www.marvistavet.com/lomustine.pml